X26

TASER

WITH SHAPED PULSE TECHNOLOGY

From

TASER INTERNATIONAL®

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
20
X26
TASER
WITH SHAPED PULSE TECHNOLOGY

New Shaped Pulse™



Full Energy Penetration

Shaped Pulse Tech



60%
SMALLER

History of Stun Weapons

(Click on image above to start video. Click once to pause.)

MX Animal TASER

- 7x the current of the human TASERs
- Not certified safe for human use!

(Click on image above to start video. Click once to pause.)

INCAPACITATION RATINGS

Medical Safety

Fibrillation Results, 5 Second Burst

Lower Pulse Rates Increase Safety Margin

Body Weight	19 pps Safety Margin	15 pps Safety Margin	10 pps Safety Margin
66	16x	34x	
82	20x	56x	
92	24x	36x	100x
106	32x		80x
108	24x	28x	72x
119	32x		55x
178	44x		
182	32x		
183	36x		
258	48x		

X26: Digital Pulse Controller (DPC)

- Digitally controls pulse rate
- Consistent performance
  -4˚F to +122˚F
  -20 C to +50 C
- 5-second burst
  - 0-2 sec @ 19 pps
  - 2-5 sec @ 15 pps
  - If trigger held beyond 5-second cycle @15 pps
- Initial “punch” to drop
  - Increases effectiveness
  - Enhances safety
  - Extends battery life

Digital Power Magazine

10 Year Shelf Life

Lithium Energy Cells

Up to 300 Firings

Digital Memory (% Life)



X26: Central Information Display (CID)

- 0-99% Battery Level
  - Safety Up
- 5,4,3,2,1 Countdown
  - Triggered
- Illumination Status
  - Light Selector Button
- Warranty Status
  - DPM Loaded
- “RA” Status
  - Re-Arm Required
  - Sleep Mode After 20 min.

Dataport

Connection Kits Sold Separately

- M26 Serial Dataport
  - Stores time and date of each firing (last 585)
  - Protects officers from unfounded allegations
  - Officers accountable for use
  - Rubber stopper must be in when dataport not in use!
  - Allows remote firing from robots
  - Serial Port Interface

- X26 USB Dataport
  - Time, date, **duration, temp, battery status** of each firing (last 1,000)
  - Connection protected inside DPM Compartment
  - Auto Time Zone Adjustment
  - Encrypted Data Files
  - Date Range Downloads
  - USB Plug&Play

POWERED BY

TASER

www.TASER.com

Rick@TASER.com